



Pure Innovation

Clearwater Flextra and Softwall
Potable Water Hose – Another
Continental World Exclusive

WATER IS LIFE.

We all have the right to clean, pure drinking water.

It's essential. It refreshes us. Keeps us healthy.

It's a source of nutrition. Whether clean water is used for drinking, food production or basic hygiene, access to it is an absolute necessity.

It's why Continental has created Clearwater Flextra and Softwall.

Both are NSF certified for your protection

and specifically made for the discharge or suction of potable water. Using a proprietary inner tube compound, we created the world's only perfectly inert water hose.

No contamination. No taste or discoloration. So water comes out as pure as when it went in. Guaranteed.

THESE VERSATILE HOSES CAN BE USED FOR A VARIETY OF APPLICATIONS WHERE SAFE DRINKING WATER IS NEEDED, INCLUDING:

- > camping and caravanning
- > catering
- > beverage and food industry
- > disaster control
- > hospitals
- > airports
- > municipal emergency water supply
- > outdoor events
- > public festivals
- > road construction and construction sites



Airports



Hospitals



Camping



Catering



Construction

Clearwater Flextra: NSF/ANSI/CAN 61 (Certificate# C0454763) certified suction hose suitable for handling drinking water for domestic and industrial purposes.

Tube: Transparent, absolutely neutral to taste and odor, PE material. Compliant to 3-A, FDA and USDA.

Cover: Corrugated Blue EPDM with wrapped impression. Resistant to ozone, weather, and UV.

Reinforcement: Synthetic spiral-ply fabric with double helix wire

Order Code: 542-868

Temperature Range: -40°F to 212°F (-40°C to 100°C)

Design Factor: 4:1

Branding: CONTINENTAL CLEARWATER FLEXTRA 200 PSI POTABLE WATER NSF / 3-A / FDA / USDA - MADE IN CANADA



SAP	I.D.		O.D.		W.P.		M.B.R		Vacuum HG		Weight	
	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	lb./ft.	kg/m
21053449	0.750	19.1	1.264	32.1	200	1.38	3	76	29	737	0.53	0.793
21053480	1.000	25.4	1.518	38.5	200	1.38	4	102	29	737	0.69	1.026
21053481	1.250	31.8	1.767	44.9	200	1.38	4.5	114	29	737	0.82	1.226
21053482	1.500	38.1	2.017	51.2	200	1.38	5	127	29	737	0.96	1.425
21053483	2.000	50.8	2.533	64.3	200	1.38	6	152	29	737	1.24	1.852
21053484	2.500	63.5	3.062	77.8	200	1.38	7.5	191	29	737	1.66	2.477
21053485	3.000	76.2	3.611	91.7	200	1.38	9	229	29	737	2.14	3.192
21053486	4.000	101.6	4.620	117.4	200	1.38	12	305	29	737	2.82	4.197

Clearwater Softwall: NSF/ANSI/CAN 61 (Certificate# C0454763) certified discharge hose suitable for handling drinking water for domestic and industrial purposes.

Tube: Transparent, absolutely neutral to taste and odor, PE material. Compliant to 3-A, FDA and USDA.

Cover: Smooth Blue EPDM with wrapped impression. Resistant to ozone, weather, and UV.

Reinforcement: Synthetic spiral-ply fabric

Order Code: 542-872

Temperature Range: -40°F to 212°F (-40°C to 100°C)

Design Factor: 4:1

Branding: CONTINENTAL CLEARWATER SOFTWALL 150 PSI POTABLE WATER NSF / 3-A / FDA / USDA - MADE IN CANADA



SAP	I.D.		O.D.		W.P.		Weight	
	in.	mm	in.	mm	in.	mm	lb./ft.	kg/m
21053669	0.750	19.1	1.095	27.8	150	1.03	0.29	0.439
21053710	1.000	25.4	1.345	34.2	150	1.03	0.37	0.558
21053711	1.250	31.8	1.595	40.5	150	1.03	0.45	0.675
21053712	1.500	38.1	1.845	46.9	150	1.03	0.53	0.793
21053713	2.000	50.8	2.362	60.0	150	1.03	0.73	1.082
21053714	2.500	63.5	2.862	72.7	150	1.03	0.89	1.329
21053715	3.000	76.2	3.387	86.0	150	1.03	1.15	1.706
21053716	4.000	101.6	4.387	111.4	150	1.03	1.50	2.237

Industrial Fluid Solutions

Market segment

Industrial Hose

Contact

Continental

703 S. Cleveland Massillon Road

Fairlawn, OH 44333-3023 U.S.A.

1-800-235-4632

www.continental-industry.com

Your local contact

www.contitech.de/contactlocator

Canada

1-888-275-4397

Mexico

1-800-439-7373

Continental 
The Future in Motion

The content of this publication is not legally binding and is provided as information only. The trademarks displayed in this publication are the property of Continental AG and/or its affiliates. Copyright © 2021 ContiTech AG. All rights reserved. For complete information go to: www.contitech.de/discl_en

INH-CO-BR-CLWT21 (02/18/21)