



Redwing® Fuel Oil Delivery Hose Series

Now improved for higher performance

www.contitech.us

geometry

JOB/SAP# COT.COTINH.18070.Y.013		Client: Continental		Element: Versabraid Brochure Revise		Date: 02.08.2019		vFA	
Account: RA, KR	Copy:	Proofreader: CP	Creative Dir: SP	Art Director: BF	Revised Art: SE	Final Art: EB/CD	Production: SH, KK	Proj. Coord:	
Trim Size: 8.5" x 11"	Bleed: 0.125"	Live/Safe:	Finished Size: 8.5" x 11"	Scale: 100%	Colors: 4C CMYK	Resolution: 300 dpi	# of Pages: 4	Binding/Finish:	
Notes: COVER IMAGE - TRUCK IMAGE LICENSE ENDS 2023 CYAN TRIM LINE FOR REFERENCE ONLY						Stock Photography:		Purchased:	
						Almay Truck Image (C18N5D)		YES	
						Gettyimages-636703811 (SKY)		YES	
						Shutterstock-1098948290 (Corn)		YES	
						Shutterstock-1111131494 (Diesel)		YES	
						Shutterstock-616287683 (Pumpjack)		YES	
						Shutterstock-1111457888 (Oil pump)		YES	



CONTINENTAL FUEL OIL DELIVERY LINEUP

The premium braided construction of our fuel oil hose is perfect for durability in reeling applications and is widely recognized in the market as the number one hose for quality and performance. A braided reinforcement is ideal for reeling applications because it ensures **kink resistance and twist resistance, as well as overall superior handling characteristics and reeling durability.**

With the addition of the Redwing® Versabraid™, Continental now has a fuel oil delivery product for all of your market needs.



Enhanced Industry Leader

Low Temperature Cold Flexibility

Universal Fuel Compatible

WHICH FUEL OIL DELIVERY HOSE BEST FITS YOUR NEEDS?

CONTINENTAL FUEL OIL DELIVERY OFFERING									
Fuel Oil Delivery Hose	Premium Braided Construction	Cold Temp Flexibility	Fuel Compatibility					Static Wire	Color
			Fuel Oil	Diesel	Gasoline	Ethanol	Biodiesel		
Redwing® Fuel Oil	✓		✓	✓					Red
Redwing® Blue Low Temp Fuel Oil	✓	✓	✓	✓	✓			✓	Blue
Redwing® Versabraid™	✓		✓	✓	✓	✓	✓	✓	Deep Red



REDWING® VERSABRAID™

Introducing the world's only fuel delivery hose for use with nearly all petroleum fuels.

The **VERSA**tility of the Redwing® Versabraid™ completes our Fuel Oil Delivery Hose lineup due to its compatibility with nearly all petroleum-based fuels, including fuel oil, diesel, gasoline, ethanol up to E100, methanol up to M100 and biodiesel, including B100 for intermittent use.

Putting our superior compounding to new use, the Versabraid™ is the only fuel oil delivery hose on the market for alternative fuel compatibility, making the Redwing® Versabraid™ a true **INDUSTRY EXCLUSIVE**.

— **ONE HOSE FITS ALL**



1 3/8" (34.9mm) REDWING VERSABRAID UNIVER



FEATURES AND BENEFITS:

VERSATILE FUEL COMPATIBILITY FOR EXTENDED SERVICE LIFE:

- › Fuel oil
- › Diesel
- › More refined fuels, such as gasoline
- › Ethanol blends up to E100
- › Methanol blends up to M100
- › Biodiesel blends, including B100 for intermittent use

PREMIUM BRAIDED CONSTRUCTION FOR:

- › Kink resistance to maintain pressure during use
- › Reeling durability for extended service life

EXCEEDS ARPM RECOMMENDED 4:1 SAFETY FACTOR

STATIC WIRE IN ALL SIZES FOR VERSATILITY AND ADDED SAFETY

ARPM CLASS A HIGH OIL RESISTANCE TUBE AND COVER

OZONE RESISTANCE FOR OUTDOOR SERVICE LIFE

ULTRA SMOOTH COVER FOR LOW DRAG RESISTANCE

PERFORMANCE GUARANTEE

As the industry leader for the Fuel Oil Delivery Market, Continental is proud to bring you the most complete hose offering in the industry. Backed by both new and enhanced products, we have the solution to service any application. We are 100% confident in our product and guarantee our fuel hoses will deliver at least 12 months of service life. If you are not completely satisfied, please contact your local distributor or sales rep and we will make it right. This is our promise to you.



Industrial Fluid Solutions

Market segment

Industrial Hose

Contact

Continental

703 S. Cleveland Massillon Road

Fairlawn, OH 44333-3023 U.S.A.

1-800-235-4632

www.contitech.us

Your local contact

www.contitech.de/contactlocator

Canada

1-888-275-4397

Mexico

1-800-439-7373

Continental 
The Future in Motion

The content of this publication is not legally binding and is provided as information only. The trademarks displayed in this publication are the property of Continental AG and/or its affiliates. Copyright © 2019 ContiTech AG. All rights reserved. For complete information go to: www.contitech.de/discl_en

21018466-2/19