


# **PetroFit™**

The most durable and reliable  
Gasoline and DEF dispensing  
hose connections available  
Featuring...



CRIMP

FIELD  
ATTACHABLE

SWAGED

## **PetroThrust™** CRIMP SWIVEL FITTING

- All metal parts to resist the elements!
- Exclusive 900 lb + tested pull strength



## **PetroDEF™** STAINLESS DIESEL EXHAUST FLUID CRIMP FITTINGS

- Male NPTF
- Male BSPP
- Female BSPP



# PetroFit™

## PEROLEUM DISPENSE FITTINGS

- Available for all hose brands
- All hose terminations available (Crimp, Field Attachable, Swaged)
- All threads are male NPTF
- All Field Attachable and Swaged parts are chrome plated brass
- Can be used for off road fueling of vehicles without UL requirements

CRIMP

FIELD ATTACHABLE

SWAGED



### FLR SERIES: FIELD ATTACHABLE - SOLID

Part Number	Pipe Thread	Hose ID	Hose OD
FLR58	3/4"	5/8"	1"
FLR75	3/4"	3/4"	1 1/8"
FLR100	1"	1"	1 3/8"



### FLS SERIES: FIELD ATTACHABLE - SWIVEL

Part Number	Pipe Thread	Hose ID	Hose OD
FLS58	3/4"	5/8"	1"
FLS75	3/4"	3/4"	1 1/8"
FLS100	1"	1"	1 3/8"



### FL SERIES: INTERNALLY SWAGED - SOLID

Part Number	Pipe Thread	Hose ID	Hose OD
FL58	3/4"	5/8"	1"
FL75	3/4"	3/4"	1 1/8"
FL100	1"	1"	1 3/8"



- Crimped parts include aluminum ferrule
- Series FLTS PetroThrust can withstand more than 900lbs of pull force
- Crimped swivels have no retaining clip preventing dangerous spills

### FLG SERIES: CRIMPED – SOLID

Unplated Zinc Body With Aluminum Ferrule  
 Economical Coupling For Low Cost Applications

Part Number	Pipe Thread	Hose ID	Hose OD
FLG58	3/4"	5/8"	1"
FLG75	3/4"	3/4"	1 1/8"
FLG100	1"	1"	1 3/8"



### FLHC SERIES: CRIMPED – SOLID

Chrome Plated Zinc Body With Aluminum Ferrule  
 Wide Hex Pad For Easy Installation

Part Number	Pipe Thread	Hose ID	Hose OD
FLHC58	3/4"	5/8"	1"
FLHC75	3/4"	3/4"	1 1/8"
FLHC100	1"	1"	1 3/8"



### FLTS SERIES: CRIMPED - SWIVEL

**PetroThrust™**

Chrome Plated Zinc Body With Chrome Plated Zinc Nut & Aluminum Ferrule  
 Wide Hex Pad For Easy Installation

Part Number	Pipe Thread	Hose ID	Hose OD
FLTS58	3/4"	5/8"	1"
FLTS75	3/4"	3/4"	1 1/8"
FLTS100	1"	1"	1 3/8"



# PetroDEF™

- Stainless Steel DEF crimp inserts with ferrules
- Field attachable compression nut is chrome plated brass

## CRIMPED SERIES:

Part Number	Threaded Connection	Hose ID	Hose OD
DEF-MP-12-12	3/4" NPTF MALE FIXED	3/4"	1 1/8"
DEF-MP-SW-12-12	3/4" NPTF MALE SWIVEL*	3/4"	1 1/8"
DEF-MBSPP-12-12	3/4" BSPP MALE FIXED	3/4"	1 1/8"
DEF-MBSPP-SW-12-12	3/4" BSPP MALE SWIVEL*	3/4"	1 1/8"
DEF-FBSPP-SW-12-12	3/4" BSPP FEMALE SWIVEL**	3/4"	1 1/8"
DEF-FBSPP-SW-12-16	1" BSPP FEMALE SWIVEL **	3/4"	1 1/8"



\*Male Swivel end free to rotate after tightening \*\*Swivel nut not free to rotate after tightening

## FIELD ATTACHABLE SERIES:

Part Number	Threaded Connection	Hose ID	Hose OD
DEF-RU-MP-SW-12-12	3/4" NPTF MALE SWIVEL	3/4"	1 1/8"
DEF-RU-MBSPP-SW-12-12	3/4" BSPP MALE SWIVEL	3/4"	1 1/8"



**Unique Field Attachable!**



## AUTHORIZED DISTRIBUTOR:

**Continental**  
CONTITECH

## AFFILIATE MEMBERS:



## CORPORATE HEAD OFFICE:

**FLUIDHOSE**  
& COUPLING INC.

*Your complete source  
for Petroleum and  
Diesel Exhaust Fluid dispensing*

6150 Dixie Road  
Mississauga, Ontario  
Canada  
L5T 2E2

905-670-0955



www.fluidhose.com